# (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 25 May 2001 (25.05.2001)

**PCT** 

# (10) International Publication Number WO 01/35856 A1

(51) International Patent Classification<sup>7</sup>: A61M 15/00

A61D 7/04.

(21) International Application Number: PCT/DK00/00633

(22) International Filing Date:

15 November 2000 (15.11.2000)

(25) Filing Language:

English

(26) Publication Language:

**English** 

(30) Priority Data:

PA 1999 01644 16 November

16 November 1999 (16.11.1999) Di

(71) Applicant and

(72) Inventor: NIELSEN, Helle, Funch [DK/DK]; Lejlighed 79, Vandtårnsvej 7, DK-3460 Birkerød (DK).

(74) Agent: HOFMAN-BANG A/S; Hans Bekkevolds Allé 7, DK-2900 Hellerup (DK).

(81) Designated States (national): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA,

CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


#### Published:

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: INHALATOR FOR TREATMENT OF BRONCHIAL DISORDER IN HORSES



(57) Abstract: A device for the treatment of bronchial disorders in horses by inhalation therapy comprising an inhalation spacer (1) with a first (5) and a second (10) opening, an activatable drug atomizer (7) which can be connected with the first opening (5) of the inhalation spacer, and connecting means (11, 14) comprising a hopper-shaped part (13) which at the hopper opening has such size as to be able to cover one of the horse's nostrils, and a valve arrangement comprising two one-way valves (16, 18), one of which (16) allows influx of inhalation air from the inhalation spacer into the hopper-shaped part (14) of the connecting means (11, 14), and the other allows outflux of exhalation air from the hopper-shaped part (14) to the surroundings, and where the inhalation spacer (1) has at least one additional opening (8) with an appertaining one-way valve (9) which allows influx of air from the surroundings into the interior (4) of the inhalation spacer (1).

BEST AVAILABLE COPY

WO 01/35856 A1

10

25

## INHALATOR FOR TREATMENT OF BRONCHIAL DISORDER IN HORSES

The present invention relates to a device for the treatment of bronchial disorders, and in particular allergic or inflammatory bronchial disorders, in horses by inhalation therapy.

It is well-known that horses, e.g. sports horses, may be afflicted by bronchial disorders which lower their capacity. Examples of such bronchial disorders are inflammation in the airways, training-induced lung haemorrhage and allergy.

In particular allergic bronchial disorders are a great and steadily increasing problem with sports horses, trotting horses, and racehorses.

It is known to prevent and/or treat allergic bronchial
disorders in horses by inhalation therapy, which is a
metod of treatment whereby the horse is caused to inhale
a micro-particular therapeutic agent, such as a steroid
or a beta-2-agonist, e.g. in the form of an aerosol.
Various inhalation devices have been developed for this
purpose.

A known commercial inhalation device consists of three parts, viz. an electronically operated compressor for generating an atomizing pressure, a mask with a built-in atomizing chamber, and one or more drug atomizers connected with the compressor and being positioned within the atomizing chamber, by means of which atomizers a cloud of micro-particles of the therapeutic agent used can be formed in the atomizing chamber.

The mask used is intended for positioning over the horse's muzzle which, just like the noice from the

compressor, tends to make the horse uneasy. Further, the use of the known device presupposes the availability of an electric supply source at the site of treatment. These circumstances cause the treatment to be cumbersome, i.a. also because the atomization of the drug takes about 10 min and requires that the horse is tied up in order to make it stand still during the treatment.

Devices are also known which are based on use of manually operated drug atomizers, e.g. in the form of an aerosol container provided with a manually operated valve, which when operated manually causes a cloud of micro-particles to be formed in a mask positioned on the horse's muzzle, also shaped as a nosebag and covering both nostrils. Such a device may comprise an inhalation spacer in which the atomization of the drug takes place, and from which the horse via the mask breathes in the treatment agent. As mentioned above, the use of a mask for positioning over the horse's muzzle may cause problems, in particular when treating uneasy horses.

- It is also known to treat allergic bronchial disorders by manually closing one of the horse's nostrils and positioning a supply pipe in the other nostril, and by directly atomizing the treatment agent into the supply pipe.
- When using such a device it is a risk that the atomization of the drug does not take place synchroneously with the horse's breathing in, and that the micro-particles are deposited on the mucosa in the nasal cavity, and consequently do not get to the bronchi or the lungs.
- 30 Also, the device requires that the treatment is performed by a veterinary.

It is the object of the present invention to provide a treatment device the operation of which is so uncomplicated that a treatment of the horse can be performed without the assistance of a veterinary, the use of which does not make the horse uneasy, and which provides great security that the treatment agent reaches the places in the airway system which it is desired to treat.

The device according to the invention comprises an inhalation spacer with a first and a second opening, an 10 activatable drug atomizer which can be connected with the first opening in the inhalation spacer, and connecting means for connecting the second opening of the inhalation spacer with the airways of a horse and with a valve arrangement comprising two oppositely acting one-way 15 valves, one one-way valve of which allows influx of inhalation air from the interior of the inhalation spacer to the connection means, and the other one-way valve allows outflux of exhalation air from the connecting means to the ambient air, and is characterized in that 20 the connecting means comprises a hopper-shaped part, which at the hopper opening has such size that is able to cover only one of the horse's nostrils, and which at the opposite end is connected with the inhalation spacer via the valve arrangement, and that the inhalation spacer has 25 at least one third opening with a co-operating one-way valve which permits influx of air from the surroundings into the interior of the inhalation spacer.

The treatment of a horse with the device according to the invention may be effected by positioning the hoppershaped part over one of the horse's nostrils while maintaining the other nostril open og by closing it manually.

Either immediately before or simultaneously with or immediately after the hopper-shaped part is positioned over one of the horse's nostrils, an activation of the drug atomizer is performed so that a cloud of microparticles of the treatment agent is generated in the inhalation spacer. When the horse inhales, an underpressure will arise in the inhalation spacer, which entails that air will flow into the inhalation spacer from the surroundings through the third opening, and the air flow will pass through one of the one-way valves (the inhalation valve) of the valve arrangement into the hopper-shaped, and further on into the horse's airways. This air flow will entrain the micro-particles floating in the inhalation spacer, and thus carry the treatment

agent into the airways. When the horse exhales, the exhalation air will pass out of the device through the second one-way valve (the exhalation valve) of the valve arrangement.

As will appear from the above, the device according to
the invention is uncomplicated and easily operated. Since
it furthermore only requires that the hopper-shaped part
of the device is positioned in slight contact with the
area around one of the horse's nostrils and is not noisy,
it will not scare the horse. At the same time, the treatment time can be reduced e.g. to less than 1 min.

These factors entail that the treatment of the horse can be performed by persons without veterinary background.

The device according to the invention offers the additional advantage that large amounts of air will flow through the inhalation spacer. Thus, each time the horse inhales, an amount of air of about 10 l will be passed through the inhalation spacer. If the spacer e.g. has a

10

volume of about 1 l, which makes it easy to handle, by and large the entire amount of treatment agent which has been introduced into the inhaler spacer will be entrained by the inhalation air and carried down into the horses' airways. Thus, the device ensures good utilization of the amount of treatment agent used, and restricts the settlement of drug at uninteded sites in the airways.

5

10

20

25

The activatable drug atomizer appertaining to the device according to the invention preferably comprises an aerosol container, i.e. a container containing a pressurized gas and solid drug particles. However, use can also be made of a mechanical atomizer, just as the drug may be present in the liquid phase.

The inhalation spacer preferably has an outer shape like a solid of rotation, and may e.g. be made of metal or plastic. The latter is preferred for reasons of weight.

The hopper-shaped part preferably comprises a pipe socket which is adapted to be placed around a similar pipe socket provided around the second opening of the inhalation spacer, the latter pipe socket having oppositely placed axially extending incisions which when the two parts are assembled are covered by flexible flaps provided at each side of the pipe socket of the hopper-shaped part, and which have such a flexibility that they open outwardly during exhalation of air and are prevented from moving inwardly during inhalation.

In this embodiment another one-way valve is provided in the second opening of the spacer.

The connecting means may also comprise two parts, viz. a pipe socket and a hopper-shaped part. The former, which

preferably comprises two ducts, a one-way valve being positioned in each duct, is preferably made of transparent plastic, whereby it is made possible to control that the one-way valves in use act as intended.

- The free end of the hopper-shaped part, which is intended to cover one of the horse's nostrils, is preferably made of flexible plastic, so that by contact with that part of the horse's muzzle which surrounds the nostrils, it conforms to the muzzle without annoying the horse.
- 10 In the following the invention is described in more detail with reference to the drawings, in which
  - Fig. 1 shows a longitudinal section through a preferred embodiment of a device according to the invention,
- Fig. 2 shows an exploded view of another preferred embodiment of a device according to the invention, and
  - Fig. 3 shows a device according to the invention in operating position.

In the drawing 1 is an inhalation spacer composed of two parts 2 and 3, which together delimit an atomizing

chamber 4. The spacer part 2 has at its free end a central opening 5 having such shape that when introducing a dispenser part 6 of an activatable drug atomizer 7, an air-tight connection is formed between the drug dispenser 7 and the spacer part 2. In the area around the central opening two or more additional openings 8 are provided, each of which is provided with a one-way valve in the form of a flap valve 9 which allows influx of air from the surroundings into the atomizing chamber 4 when a subatmospheric pressure arises therein.

WO 01/35856 PCT/DK00/00633

7

At its free end the spacer part 3 has an opening 10 into which one end of pipe socket 11 has been inserted airsealingly, which socket comprises two ducts 12 and 13 and at its opposite end has been fitted with a hopper-shaped part 14 being flexible at its free end 15 and having such size as to be able to cover one of a horse's nostrils.

A one-way valve in the form of a flap valve is built into the duct 12, which valve allows air to flow from the atomizing chamber 4 into the interior of the hoppershaped part 14, and prevents air from flowing in the opposite direction. The duct 13 is closed at the end facing the atomizing chamber 4, and is provided with a branch pipe 17 into which a one-way valve in the form of a flap valve 18 has been inserted, which valve allows outflux of air from the interior of the hopper-shaped

10

15

20

25

30

outflux of air from the interior of the hopper-shaped part 14 to the surroundings and prevents air flow in the opposite direction.

When using the device shown, the free end 15 of the hopper-shaped part 14 is positioned over one of a horse's nostrils, and the other nostril is closed manually. Then the drug atomizer 7 is activated, whereby a cloud of drug particles is formed in the atomizing chamber 4. When the horse inhales, a sub-atmospheric pressure will arise in the atomizing chamber 4, which will entail that air flows into the atomizing chamber 4 through the openings 8, and further on through the duct 12 in the pipe socket 11, the hopper-shaped part 14, the horse's nostril, and further on into its airways. The air flow thus formed will cause the drug particles present in the atomizing chamber 4 to be entrained and passed into the horse's airways.

During the horse's exhalation, the exhalation air passes out through the duct 13 and the branch pipe 17 to the

surroundings. After a few inhalation, by and large all drug particles in the atomizing chamber will have been removed herefrom and have been introduced into the horse's airways.

When cleaning the device, the dispenser part 6 of the drug atomizer is removed through the central opening 5, and the pipe socket 11 with affixed hopper-shaped part 14 through the opening 10 in the spacer part 3. The spacer 1 can then be disassembled into the two spacer parts 2 and 3.

Having thus been disassembled, the device can easily be cleaned and made ready for renewed use.

The device shown in fig. 2 comprises a spacer consisting of two parts 20 and 21. In the end of the first part 20, there is provided an opening 22 for insertion of an activatable drug atomizer and a one-way valve arrangement comprising openings 23 and a valve member 24 having flexible valve flaps 25 covering the openings 23.

The second part 21 of the spacer comprises a pipe socket 20 26 surrounding a valve comprising a valve member 27.

Two opposite axially extending incisions 28 are provided in the pipe socket 26.

The spacer also comprises a hopper-shaped part 29 comprising a pipe socket 30 comprising two flexible valve flaps 31 which when the pipe socket 30 is placed around the pipe socket 26 overlap the incisions 28 in such a manner that the flaps 31 can move outwardly and are prevented from moving inwardly. Thus, this arrangement functions as a one-way valve allowing exhalation air from

passing out from the hopper-shaped part and preventing the influx of air during inhalation.

Fig. 3 illustrates the way in which a device according to the invention is to be used.


5

#### Claims:

- A device for the treatment of bronchial disorders in horses by inhalation therapy comprising an inhalation spacer with a first and a second opening, an activatable drug atomizer which can be connected with the first 5 opening in the inhalation spacer, and connecting means for connecting the second opening of the ventilation spacer with a horse's airways, and with a valve arrangement comprising two oppositely acting one-way valves, one of which one-way valves allows influx of inhalation air 10 from the interior of the inhalation spacer to the connecting means, and the other one-way valve allows outflux of exhalation air from the connecting means into the ambient air, characterized in that the connecting means comprises a hopper-shaped part which at 15 the hopper opening has such size as to be able to cover one of a horse's nostrils, and which at its opposite end. is connected with the inhalation spacer via the valve arrangement, and that the inhalation spacer has at least one third opening with a co-acting one-way valve which 20 allows influx of air from the surroundings into the interior of the inhalation spacer.
- A device according to claim 1, c h a r a c t e r i z e d in that the activatable drug atomizer comprises
  a container containing a pressurized gas and solid drug
  particles.
  - 3. A device according to claim 1, c h a r a c t e r i z e d in that the drug atomizer contains a liquid drug.

- 4. A device according to any of the preceding claims, c h a r a c t e r i z e d in that the inhalation spacer has an outer shape like a solid of rotation.
- 5. A device according to any of the preceding claims, character is made of plastic.
  - 6. A device according to any of the preceding claims, c h a r a c t e r i z e d in that the connecting means comprises a pipe socket and a hopper-shaped part.
- 7. A device according to claim 6, c h a r a c t e r i z e d in that one of the oppositely directed one-way valves is positioned in each duct.
- 8. A device according to claim 6, c h a r a c t e r i z e d in that the hopper-shaped part is made ofplastic and at its free end consists of flexible plastic.

1/2



SUBSTITUTE SHEET (RULE 26)

2/2

FIG. 2




FIG. 3



#### INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 00/00633

A. CLASS	SIFICATION OF SUBJECT MATTER	<u> </u>	1			
IPC7: /	A61D 7/04, A61M 15/00 of International Patent Classification (IPC) or to both n	national electification and IPC				
	S SEARCHED	adonal classification and IPC				
	ocumentation searched (classification system followed b	y classification symbols)				
IPC7: A						
Documentat	ion searched other than minimum documentation to th	e extent that such documents are included i	n the fields searched			
SE.DK.F	I,NO classes as above		·			
	ata base consulted during the international search (nam	e of data have and where practicable searc	h terms used)			
Electronic da	are date computed on the are mentalional search (man	e of the base and, where produced, some				
C. DOCU	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.			
X	US 5385140 A (COLLIN M. SMITH), (31.01.95), column 3, line	31 January 1995 50 - column 4, line 5	1-8			
			·			
A	US 5755221 A (HANS BISGAARD), 20 (26.05.98)	6 May 1998	1-8			
A	EP 0537991 A2 (CANADIAN MONAGHAN 21 April 1993 (21.04.93)	N LIMITED),	1-8			
A	GB 2111838 A (GEORG FELERABEND) (13.07.83)	, 13 July 1983	1-8			
X Furthe	er documents are listed in the continuation of Box	C. See patent family anne	x			
* Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of perticular relevance to be of perticular relevance.  "I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention						
"E" earlier a	be of particular relevance  The principle of theory underlying the invention  The principle of theory underlying the invention cannot be considered to involve an inventive  The principle of theory underlying the invention cannot be considered not principle of the principle of					
cited to special a	establish the publication date of another citation or other eason (as specified)	"Y" document of particular relevance: the considered to involve an inventive se	claimed invention cannot be			
means	nt referring to an oral disclosure, use, exhibition or other nt published prior to the international filing date but later than	combined with one or more other suc being obvious to a person skilled in t	h documents, such combination he art			
the prior	rity date claimed	document member of the same paten				
Date of the	actual completion of the international search	Date of mailing of the international 28 -03- 2001	search report			
27 Marc	h 2001					
Name and	mailing address of the ISA/	Authorized officer				
Swedish F	Swedish Patent Office  Box 5055, S-102 42 STOCKHOLM Inger Löfgren/Els					
	No. +46 8 666 02 86	Telephone No. +46 8 782 25 00				

### INTERNATIONAL SEARCH REPORT

International application No.
PCT/DK 00/00633

		PCT/DK 00/0	,0033
C (Continua	ation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
A	EP 0444905 A1 (MINNESOTA MINING AND MANUFACTU COMPANY), 4 Sept 1991 (04.09.91)	1-8	
			į.
•			
			1
			j ·
İ			
		•	
Ì			
			-
			1
		·	
		·	
			]

## INTERNATIONAL SEARCH REPORT

Information on patent family members

25/02/01 PCT/

International application No. PCT/DK 00/00633

Patent document Publication cited in search report date				Patent family member(s)		Publication date	
		A	31/01/95	AT	1548	83 T	15/07/97
U.S	2202140	^	31/01/33	ÄÜ		82 B	04/08/94
				AU	16114		19/11/92
					20683		15/11/92
				CA			
				DE		18 D,T	12/02/98
				DK	5140		16/02/98
				EP		85 A,B	19/11/92
				SE	05140	85 T3	*
	•.			ES	21068	29 T	16/11/97
				HK	10014		00/00/00
				JP	62058		26/07/94
				NZ		63 A	25/03/94
					2420 		23/03/34
JS	5755221	A	26/05/98	AT		29 T	15/08/96
				AU	6574	92 B	16/03/95
				AU	85079	91 A	30/03/92
				CA		14 A,C	13/03/92
				DE		05 D,T	12/12/96
				DK	297		21/08/92
				DK		83 B	25/07/94
						52 A,B	30/06/93
				EP			
				SE		52 T3	01 /10 /00
				ES	20892		01/10/96
•				FI		16 A	08/03/93
			•	GR	30210		31/12/96
				JP	65007	17 T	27/01/ <del>9</del> 4
			•	ĹV		59 A,B	10/05/94
	•			NO		17 B	22/02/99
				NO		61 D	00/00/00
			*	RU	20950		10/11/97
				WO	92040		19/03/92
						90 D	00/00/00
				DK			
				LŢ		84 A	27/12/94
				LT	33	15 B	26/06/95
 Р	0537991	A2	21/04/93	AU	6686	93 B	16/05/96
••			,,	AU	26352		29/04/93
				BR	92039		27/04/93
				CA	20805		16/04/93
	•			MX	92059		01/06/93
					59540		21/09/99
				US	) <del>1</del> 075 	77 X 	61/VJ/JJ
 В	2111838	A	13/07/83	СН	6532	244 A	31/12/85
_			<b>--</b>	DE	32375		30/06/83
				FR		98 A,B	24/06/83
				US	45467		15/10/85
					/OFCF 		
 Р	0444905	A1	04/09/91	UA	6290	95 B	24/09/92
•	- 11,500		,,	AU	70114		29/08/91
				CA	20348		28/08/91
				DE		083 D,T	24/11/94
							19/01/93
				JP	50076	)UL X	
				ÜS	50624	122 4	05/11/91

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.